

## DW-MiniBox Mini Dry Bath Incubator

### Description

DW-Minibox is a microprocessor-controlled product. It is widely used in preservation and reactions of sample, DNA amplification and initial denaturation of electrophoresis and so forth. It fits almost anywhere and can even be used in cars, boats or wherever a 24 volt power source is available.

### Features

1. Energy-efficient design.
2. Applicable to 24V power adapter.
3. Accurate to  $\pm 0.3^{\circ}\text{C}$ .
4. Process of experiment is visible.
5. Electronic calibration. User can reset to any local standard.
6. Power supply provided is UL, CSA and CE approved.
7. Custom blocks made to fit any sample holder.



### Parameters

Parameters	Type	DW-Minibox
Temp. range		RT.+5°C~100°C
Temp. accuracy		$\leq \pm 0.3^{\circ}\text{C}$
Time range		1min~99h
Temp. uniformity		$\leq \pm 0.3^{\circ}\text{C}$
Display accuracy		0.1°C
Temp. stability		$\pm 0.3^{\circ}\text{C}$
Heating time		$\leq 20\text{min}$ (from 40°C to 100°C )
Voltage		DC24V/1.67A
Dimension(mm)		145×113×110
Weight(kg)		0.5

### Optional Blocks

Type	Description
MiniBoxA	15×2.0ml
MiniBoxB	15×1.5ml
MiniBoxC	24×0.5ml
MiniBoxD	32×0.2ml (for 0.2ml PCR 8-tube strip)
MiniBoxF	32×0.2ml (for 0.2ml Elisa 8-well strip)

